

What is claimed is:

- 1 1. A download system including (a) a receiving apparatus
- 2 for receiving and executing a program and (b) a transmitting
- 3 apparatus for transmitting the program to the receiving
- 4 apparatus,
- 5 the receiving apparatus comprising:
- 6 information generating means for generating
- 7 receiving apparatus information that indicates a use state
- 8 of resources held by the receiving apparatus that are
- 9 necessary for program executions;
- 10 request transmitting means for transmitting to the
- 11 transmitting apparatus a download request which contains
- 12 (a) an identification of a download-target program and (b)
- 13 the generated receiving apparatus information; and
- 14 program receiving means for receiving a program that
- 15 is sent from the transmitting apparatus in response to the
- 16 download request, and
- 17 the transmitting apparatus comprising:
- 18 program holding means for holding one or more programs
- 19 and identifications thereof;
- 20 resource information holding means for holding one
- 21 or more pieces of resource information which correspond
- 22 to the one or more programs on a one-to-one basis and each
- 23 indicate resources necessary for an execution of a
- 24 corresponding program;
- 25 request receiving means for receiving the download
- 26 request from the receiving apparatus;

27 judging means for judging, from (a) a piece of resource
28 information corresponding to one of the one or more programs
29 with the identification contained in the download request
30 and (b) the receiving apparatus information contained in
31 the download request, whether the receiving apparatus can
32 execute the program with the identification; and

33 program transmitting means for transmitting to the
34 receiving apparatus the program with the identification
35 when the judging means judges that the receiving apparatus
36 can execute the program.

1 2. A download system including (a) a receiving apparatus
2 for receiving and executing a program and (b) a transmitting
3 apparatus for transmitting the program to the receiving
4 apparatus,

5 the receiving apparatus comprising:
6 information generating means for generating
7 receiving apparatus information that indicates a use state
8 of resources held by the receiving apparatus that are
9 necessary for program executions;

10 request transmitting means for transmitting to the
11 transmitting apparatus a download request which contains
12 (a) an identification of a download-target program and (b)
13 the generated receiving apparatus information; and

14 program receiving means for receiving a program that
15 is sent from the transmitting apparatus in response to the
16 download request, and

17 the transmitting apparatus comprising:
18 program holding means for holding a plurality of
19 programs and identifications thereof, the plurality of
20 programs achieving basically the same function and
21 requiring resources that satisfy different conditions;
22 resource information holding means for holding a
23 plurality of pieces of resource information which
24 correspond to the plurality of programs on a one-to-one
25 basis and each indicate resources necessary for an execution
26 of a corresponding program;
27 request receiving means for receiving the download
28 request from the receiving apparatus;
29 judging means for judging, from (a) two or more pieces
30 of resource information corresponding to two or more
31 programs that have the identification contained in the
32 download request, among the plurality of programs and (b)
33 the receiving apparatus information contained in the
34 download request, whether the receiving apparatus can
35 execute the two or more programs; and
36 program transmitting means for transmitting to the
37 receiving apparatus a program that the judging means judges
38 the receiving apparatus can execute.

1 3. The download system of Claim 2, wherein
2 when judging that the receiving apparatus can execute
3 any of at least two programs among the two or more programs,
4 the judging means selects one out of the at least two programs,

5 and

6 the program transmitting means transmits the selected
7 program to the receiving apparatus.

1 4. The download system of Claim 2, wherein

2 when the judging means judges that the receiving
3 apparatus can execute any of at least two programs among
4 the two or more programs, the program transmitting means
5 transmits to the receiving apparatus at least two pieces
6 of characteristic information that each indicate
7 characteristics at an execution of a corresponding one of
8 the at least two programs, receives a selection result which
9 is sent from the receiving apparatus in response to the
10 at least two pieces of characteristic information, and
11 transmits a program corresponding to the selection result
12 to the receiving apparatus, and

13 the receiving apparatus further comprising:

14 selection receiving means for presenting to a user
15 the at least two pieces of characteristic information
16 received from the program transmitting means, allowing the
17 user to select one among the at least two pieces of
18 characteristic information, and receiving a selection
19 result from the user; and

20 selection result notifying means for notifying the
21 transmitting apparatus of the selection result.

1 5. A download system including (a) a receiving apparatus

2 for receiving and executing a program and (b) a transmitting
3 apparatus for transmitting the program to the receiving
4 apparatus,
5 the transmitting apparatus comprising:
6 program holding means for holding one or more programs
7 and identifications thereof;
8 resource data holding means for holding one or more
9 pieces of resource data which correspond to the one or more
10 programs on a one-to-one basis and each define resources
11 necessary for an execution of a corresponding program;
12 request receiving means for receiving either a
13 resource data request or a program request from the receiving
14 apparatus; and
15 transmitting means for either (a) reading from the
16 resource data holding means a piece of resource data
17 corresponding to an identification contained in the
18 received resource data request and transmitting the read
19 piece of resource data to the receiving apparatus, or (b)
20 reading from the program holding means a program
21 corresponding to an identification contained in the
22 received program request, and transmitting the read program
23 to the receiving apparatus, and
24 the receiving apparatus comprising:
25 first request transmitting means for transmitting to
26 the transmitting apparatus the resource data request that
27 contains the identification of a download-target program;
28 resource data receiving means for receiving the piece

15 download request.

1 9. A receiving apparatus for receiving and executing a
2 program in a download system which also includes a
3 transmitting apparatus for transmitting the program to the
4 receiving apparatus, the transmitting apparatus holding
5 a plurality of programs and identifications thereof, the
6 plurality of programs achieving basically the same function
7 and requiring resources that satisfy different conditions,
8 the receiving apparatus comprising:

9 information generating means for generating
10 receiving apparatus information that indicates a use state
11 of resources held by the receiving apparatus that are
12 necessary for program executions;

13 request transmitting means for transmitting to the
14 transmitting apparatus a download request which contains
15 (a) an identification of a download-target program and (b)
16 the generated receiving apparatus information;

17 selection receiving means for presenting to a user
18 a plurality of pieces of characteristic information that
19 are received from the transmitting apparatus and each
20 indicate characteristics at an execution of a corresponding
21 one of a plurality of programs having the identification
22 contained in the download request, allowing the user to
23 select one among the plurality of pieces of characteristic
24 information, and receiving a selection result from the user;

25 selection result notifying means for notifying the

26 transmitting apparatus of the selection result; and
27 program receiving means for receiving a program that
28 corresponds to the selection result and is sent from the
29 transmitting apparatus.

1 10. A receiving apparatus for receiving and executing a
2 program in a download system which also includes a
3 transmitting apparatus for transmitting the program to the
4 receiving apparatus, the receiving apparatus comprising:
5 first request transmitting means for transmitting to
6 the transmitting apparatus the resource data request that
7 contains the identification of a download-target program;
8 resource data receiving means for receiving the piece
9 of resource data sent from the transmitting apparatus in
10 response to the resource data request;
11 judging means for judging from the piece of resource
12 data whether the receiving apparatus can execute the
13 download-target program;
14 second request transmitting means for, when the
15 judging means judges that the receiving apparatus can
16 execute the download-target program, transmitting the
17 program request containing the identification of the
18 download-target program; and
19 program receiving means for receiving a program that
20 is sent from the transmitting apparatus in response to the
21 program request.

1 11. The receiving apparatus of Claim 10, wherein
2 the piece of resource data received by the resource
3 data receiving means is a resource acquisition script used
4 for acquiring resources necessary for an execution of a
5 corresponding program, and
6 the judging means judges from a result of a provisional
7 execution of the resource acquisition script received from
8 the transmitting apparatus whether the receiving apparatus
9 can execute the download-target program.

1 12. A receiving apparatus for receiving and executing a
2 program in a download system which also includes a
3 transmitting apparatus for transmitting the program to the
4 receiving apparatus, the receiving apparatus comprising:

```

5         first request transmitting means for transmitting to
6 the transmitting apparatus a check script request that
7 contains an identification of a download-target program;
8         check script receiving means for receiving a check
9 script sent from the transmitting apparatus in response
10 to the check script request;

```

11 judging means for judging from a result of an execution
12 of the received check script whether the receiving apparatus
13 can execute the download-target program;

14 second request transmitting means for, when the
15 judging means judges that the receiving apparatus can
16 execute the download-target program, transmitting the
17 program request containing the identification of the

18 download-target program; and

19 program receiving means for receiving a program that
20 is sent from the transmitting apparatus in response to the
21 program request.

1 13. A transmitting apparatus that transmits a program to
2 a receiving apparatus that receives and executes the program,
3 the transmitting apparatus and the receiving apparatus
4 being included in a download system, the transmitting
5 apparatus comprising:

6 program holding means for holding one or more programs
7 and identifications thereof;

8 resource information holding means for holding one
9 or more pieces of resource information which correspond
10 to the one or more programs on a one-to-one basis and each
11 indicate resources necessary for an execution of a
12 corresponding program;

13 request receiving means for receiving a download
14 request from the receiving apparatus;

15 judging means for judging, from (a) a piece of resource
16 information corresponding to one of the one or more programs
17 with an identification contained in the download request
18 and (b) receiving apparatus information contained in the
19 download request, whether the receiving apparatus can
20 execute the program with the identification; and

21 program transmitting means for transmitting to the
22 receiving apparatus the program with the identification

23 when the judging means judges that the receiving apparatus
24 can execute the program.

1 14. A transmitting apparatus that transmits a program to
2 a receiving apparatus that receives and executes the program,
3 the transmitting apparatus and the receiving apparatus
4 being included in a download system, the transmitting
5 apparatus comprising:

6 program holding means for holding a plurality of
7 programs and identifications thereof, the plurality of
8 programs achieving basically the same function and
9 requiring resources that satisfy different conditions;
10 resource information holding means for holding a
11 plurality of pieces of resource information which
12 correspond to the plurality of programs on a one-to-one
13 basis and each indicate resources necessary for an execution
14 of a corresponding program;

15 request receiving means for receiving a download
16 request from the receiving apparatus;

17 judging means for judging, from (a) two or more pieces
18 of resource information corresponding to two or more
19 programs that have an identification contained in the
20 download request, among the plurality of programs and (b)
21 receiving apparatus information contained in the download
22 request, whether the receiving apparatus can execute the
23 two or more programs, and when judging that the receiving
24 apparatus can execute any of at least two programs among

25 the two or more programs, selecting one out of the at least
26 two programs; and
27 program transmitting means for transmitting the program
28 selected by the judging means to the receiving apparatus.

1 15. A transmitting apparatus that transmits a program to
2 a receiving apparatus that receives and executes the program,
3 the transmitting apparatus and the receiving apparatus
4 being included in a download system, the transmitting
5 apparatus comprising:

6 program holding means for holding one or more programs
7 and identifications thereof;

8 resource data holding means for holding one or more
9 pieces of resource data which correspond to the one or more
10 programs on a one-to-one basis and each define resources
11 necessary for an execution of a corresponding program;

12 request receiving means for receiving either a
13 resource data request or a program request from the receiving
14 apparatus; and

15 transmitting means for either (a) reading from the
16 resource data holding means a piece of resource data
17 corresponding to an identification contained in the
18 received resource data request and transmitting the read
19 piece of resource data to the receiving apparatus, or (b)
20 reading from the program holding means a program
21 corresponding to an identification contained in the
22 received program request, and transmitting the read program

23 to the receiving apparatus.

1 16. The transmitting apparatus of Claim 15, wherein
2 the one or more pieces of resource data held by the
3 resource data holding means are resource acquisition
4 scripts used for acquiring resources necessary for
5 executions of corresponding programs.

1 17. A transmitting apparatus that transmits a program to
2 a receiving apparatus that receives and executes the program,
3 the transmitting apparatus and the receiving apparatus
4 being included in a download system, the transmitting
5 apparatus comprising:

6 program holding means for holding one or more programs
7 and identifications thereof;

8 check script holding means for holding one or more
9 check scripts which correspond to the one or more programs
10 and are each used to check whether the receiving apparatus
11 has either of a device function and an embedded-program
12 function that is necessary for an execution of a
13 corresponding program;

14 request receiving means for receiving either a check
15 script request or a program request from the receiving
16 apparatus; and

17 transmitting means for either (a) reading from the
18 check script holding means a check script corresponding
19 to an identification contained in the received check script

20 request and transmitting the read check script to the
21 receiving apparatus, or (b) reading from the program holding
22 means a program corresponding to an identification
23 contained in the received program request, and transmitting
24 the read program to the receiving apparatus.